

Round Split

LED Mirror Cabinets



CHECK GOODS THOROUGHLY BEFORE INSTALLATION

Installation of received goods that are damaged, warped or faulty will void warranty. Ensure all items meet your plumbing requirements.




PLEASE LEAVE THIS GUIDE WITH THE OWNER

Features

- Split mirror design allows cabinet to be recessed into wall
- Adjustable colour temperature (6000, 4000, 3000K)
- Illuminating touch sensor for light
- Internal 250V powerpoint for grooming and shaving products
- 3mm thick glass mirror with frosted lighting
- Mirror treated to protect against corrosion
- Soft close door with heavy duty full swing hinges
- Left-hand door hinge only
- 15 mm thick square wooden spacer blocks included to strengthen the backing board
- Wall mounting screws included
- 220V AC 50/60Hz with plug – (licensed electrician required for hardwired installation)
- IP44 rating

Warning

- Please read the instructions and warnings carefully before installing the product and ensure this document is kept with the product for future reference to ensure product longevity and in the interest of safety.
- If any modification is made, it will invalidate the warranty and may render the product unsafe.
- This product is IP44 rated and suitable for installation outside the Zones 0 and 1, according to the IEEE regulations.
- It is not suitable for use in saunas, steam rooms and shower cubicles.
- Appropriate circuit protection should be available for the products.
- Take suitable precautions when handling products.
- Do not install and/or use if product is broken or unsafe.
- This product is designed for installation into a drywall, if mounting onto other substrate ensure appropriate fixing and batons (if required) are used and the load bearing of the wall is sufficient.
- This product is with Type Y supply cord: If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.
- This product is a non-user replaceable light source: The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.
- Always switch off the electrical supply to the product at the mains during installation and maintenance.
- It is recommended that this product is installed by two people.






PSH750R-LED-S

All installations should be carried out by a qualified tradesman in compliance with the National Plumbing & Drainage Code and any State or Local Authority Regulations, in accordance with AS/NZS 3500 series of standards and AS/NZS 6400. All measurements are in millimetres and are subject to change without notice. For ceramic products, please allow +/- 10 mm tolerance for manufacturing variance. Please refer to fienza.com.au for the latest product specification.

Instructions

1. Mark out cabinet corners in the location on the wall where you would like the cabinet to be placed and ensure it is level using a spirit level.
2. Glue or use double sided tape to secure the 3 wooden spacer blocks provided to the back of the cabinet.
3. The position of the blocks should be determined by the location of the inwall studs.
4. Drill pilot holes through the cabinet and wooden spacer blocks to mark the wall where the cabinet will be mounted.
5. Hammer the expansion plugs into the drill holes.
6. *LED cabinets only - For concealed wiring installation the 3-pronged electrical plug will need to be cut off.
*LED cabinets only - For exposed wiring installation a notch will need to be cut in the side/back edge of the cabinet box in desired position for the cord to run through.
7. Assemble screws, rings and parts for mounting.
8. Add caps to conceal screws.



All installations should be carried out by a qualified tradesman in compliance with the National Plumbing & Drainage Code and any State or Local Authority Regulations, in accordance with AS/NZS 3500 series of standards and AS/NZS 6400. All measurements are in millimetres and are subject to change without notice. For ceramic products, please allow +/- 10 mm tolerance for manufacturing variance. Please refer to fienza.com.au for the latest product specification.

Operation



LED

LED LIGHT ON/OFF

Press the touch sensor button once to turn the light on. When the sensor light is on, the light is on. When the sensor light is off, the light is off.

DIMMING

To increase and decrease the brightness of the light, hold your finger down on the sensor button to make the desired adjustment.

COLOUR TEMPERATURE CHANGE

When the light is on, press touch the sensor button to switch between 3000K (bright white), 4000K (warm yellow white), 6000K (cool White).

Cleaning & Care

- For best results, clean mirrors with a combination of 30% methylated spirits to 70% water and a soft, non-abrasive cloth designed for use on glass surfaces.
- Do not leave the mirror on for extended periods.
- Wipe off all water spillages immediately.

Warranties

Residential Warranty Periods

Applies to domestic uses and applications of Fienza® products, such as private dwellings and retirement villages.

Commercial Warranty Periods

Applies to commercial uses and applications of Fienza® products, including, but not limited to: commercial food premises such as restaurants; commercial accommodation such as hotels; hospitals and healthcare facilities; public amenities; and industrial, laboratory and manufacturing facilities.

Range/Component	Residential	Commercial
Cabinets (MDF only)	5 years replacement parts or product, 1 year labour	1 year replacement parts or product, 1 year labour
LED Mirrors	5 years replacement parts or product, 1 year labour	1 year replacement parts or product, 1 year labour
Spare Parts	1 year replacement parts or product	1 year replacement parts or product

Australian Consumer Law

Our products come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure upon inspection by an authorised representative where a product is found to be defective in construction, material or assembly. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure, free of charge.

Warranty Conditions

- Installation has been carried out by a licensed tradesperson in accordance with all applicable Building, Plumbing and Electrical codes, and Federal, State, or Local Government Regulations in accordance with AS/NZS 3500 Plumbing & Drainage, AS/NZS 6400 Water Efficient Products, and AS/NZS 3000 Electrical standards for any installations to which these standards apply.
- All maintenance and adjustments to the product after the installation have been carried out by a licensed tradesperson.
- All care and cleaning instructions have been adhered to as prescribed.
- All goods of substandard quality manufacture (excluding imperfections permitted within AS1976 - Vitreous China used in Sanitary Applications) will be credited or replaced by Fienza when advised within the warranty period, subject to prior inspection and agreement.
- Proof of purchase is required for warranty claims.

Warranty Limitations

To the extent permitted under the Trade Practices Act and other relevant legislation, Fienza's liability is limited to:

- The cost of replacing the goods, or
- The cost of obtaining equivalent goods, or
- The cost of having the goods repaired.
- Fienza is not responsible for any lack of operation or performance of goods (or any loss or damage) where goods are used or adapted for use with other goods not supplied by Fienza.
- It is the responsibility of the customer and installer before installation to ensure that all components are correct and free of obvious visible faults.
- Fienza is not responsible for the labour and rectification costs incurred in the above circumstance.

Conditions for On-Site Warranty Service Calls

Fienza will charge a service fee for each visit to an installation by its technician where it is determined that the fault is due to poorly executed or unlicensed installation work or where the product is not a genuine Fienza product or where the product is outside the warranty period. This may be paid in advance by credit card over the phone to a Fienza technician attending the site and will be refunded if the Fienza product is found to be at fault.

For warranty support, please contact Fienza

15 Walter Crescent, Lawnton QLD 4501 PO Box 5381, Brendale QLD 4500
P 07 3490 6700 F 07 3490 6719 E help@fienza.com.au ABN 76 136 411 311

fienza®

All installations should be carried out by a qualified tradesman in compliance with the National Plumbing & Drainage Code and any State or Local Authority Regulations, in accordance with AS/NZS 3500 series of standards and AS/NZS 6400. All measurements are in millimetres and are subject to change without notice. For ceramic products, please allow +/- 10 mm tolerance for manufacturing variance. Please refer to fienza.com.au for the latest product specification.